

Revision date: 2020/08/24 Page: 1/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Ardrox 8032, Aerosol NA

Recommended use of the chemical and restriction on use

Recommended use*: Nondestructive Testing Unsuitable for use: Uses other than recommended

Details of the supplier of the safety data sheet

Company:

Chemetall Canada Limited.

1 Kenview Blvd, Unit 110
Brampton, ON L6T 5E6
CANADA
+1 905 791-1628
sds.na-chemetall@basf.com

Emergency telephone number

<u>24 Hour Emergency Response Information</u> Telephone: 800-424-9300, +1-703-527-3887

Other means of identification

Substance number: 864501 Chemical family: organic

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.



Revision date: 2020/08/24 Page: 2/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Flam. Aerosol 1 Flammable aerosols

Label elements

Pictogram:



Signal Word: Danger

Hazard Statement:

H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Precautionary Statements (Storage):

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

Hazards not otherwise classified

Container is under pressure. Protect from sun and temperatures above 50 °C. Do not open with force or incinerate even after use. Do not spray into flames or onto glowing objects.



Revision date: 2020/08/24 Page: 3/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

propane

CAS Number: 74-98-6

Content (W/W): >= 3.0 - < 5.0%

Synonym: Propan

Propane, 2-methyl-

CAS Number: 75-28-5

Content (W/W): >= 15.0 - < 20.0%

Synonym: Isobutane

Hydrocarbons, C13 - C16, < 0,03 % aromatics

CAS Number: 64742-47-8

Content (W/W): >= 50.0 - < 75.0%

Synonym: R65; H304

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. Remove affected person from danger area. Immediately remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

If on skin:

Wash affected areas thoroughly with soap and water. If symptoms persist, seek medical advice.



Revision date : 2020/08/24 Page: 4/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

If in eyes:

Rinse immediately with plenty of water, also under the eyelids, for at least 30 minutes. Seek medical attention. Remove contact lenses, if present.

If swallowed:

Rinse mouth immediately with water. Do not induce vomiting. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Information on: propane

Symptoms: Overexposure may cause:, unconsciousness, asphyxia, respiratory disorders, headache, dizziness

Information on: Hydrocarbons, C13 - C16, < 0,03 % aromatics

Symptoms: Overexposure may cause:, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps, Ingestion may provoke the following symptoms:, asphyxia, dyspnea, choking, respiratory arrest, circulatory collapse, death

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: carbon dioxide, dry powder, alcohol-resistant foam, water spray



Revision date : 2020/08/24 Page: 5/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon oxides

Advice for fire-fighters

Protective equipment for fire-fighting: Appropriate breathing apparatus may be required.

Further information:

Cool closed containers in the vicinity of the source of fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

Information regarding personal protective measures, see section 8.

Environmental precautions

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil. If the product enters drains or sewers, the local water company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the Environment Agency.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for diposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents.



Revision date : 2020/08/24 Page: 6/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

7. Handling and Storage

Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). In closed rooms provide exhaust ventilation at floor level. The workplace should be equipped with an emergency shower and eye-rinsing facility. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixture with air. The relevant fire protection measures should be noted.

Electrical handling equipment should be explosion-proof. Use explosion-proof equipment.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Suitable materials for containers: Paper/Fibreboard

Further information on storage conditions: Keep container dry. Keep container tightly closed in a cool, well-ventilated place. The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep away from heat. Avoid direct sunlight.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

propane OSHA PEL PEL 1,000 ppm 1,800 mg/m3; TWA value

1,000 ppm 1,800 mg/m3;

ACGIH TLV

D: Simple asphyxiant, EX: Explosion hazard

Propane, 2-methyl-



Revision date: 2020/08/24 Page: 7/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

ACGIH TLV STEL value 1,000 ppm; Explosion hazard.

Advice on system design:

Use only in well-ventilated areas.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

Hand protection:

nitrile rubber (Buna N), chloroprene rubber (Neoprene), Chemical resistant protective gloves (EN 374), Further information on penetration time is available from the manufacturer of the glove., The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures:

Do not breathe vapour/spray. Take off immediately all contaminated clothing. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Form: aerosol

Odour: of hydrocarbons

Odour threshold: No applicable information available.

Colour: black

pH value: not applicable Freezing point: not determined



Revision date: 2020/08/24 Page: 8/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

Melting point: not determined
Boiling range: not determined
Boiling point: not determined

Sublimation point: No applicable information available.

Flash point:

Flammability:

Lower explosion limit:

Upper explosion limit:

Autoignition:

not applicable

not flammable

not available

not available

not determined

Vapour pressure: (20 °C)

not determined

Density: 0.820 g/cm3

(20°C)

Relative density: No applicable information available. Vapour density: No applicable information available.

Partitioning coefficient n- No data available.

octanol/water (log Pow):

Thermal decomposition: No applicable information available. Viscosity, dynamic: No applicable information available.

Viscosity, kinematic: (20 °C)

not determined

Solubility in water: insoluble Miscibility with water: immiscible

Solubility (quantitative):
Solubility (qualitative):
Molar mass:
Evaporation rate:

No applicable information available.
No applicable information available.
No applicable information available.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.



Revision date : 2020/08/24 Page: 9/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

Possibility of hazardous reactions

Vapours may form explosive mixture with air. Risk of bursting.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid direct sunlight. Avoid prolonged exposure to extreme heat.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products:

When exposed to high temperatures hazardous decomposition products such as carbon monoxide, carbon dioxide, smoke, oxides of nitrogen may be produced., No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No applicable information available.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Based on available Data, the classification criteria are not met.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available Data, the classification criteria are not met.



Revision date: 2020/08/24 Page: 10/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Do not allow to enter drains or waterways. There are no test results available for this product. Based on available Data, the classification criteria are not met.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

No data available concerning biodegradation and elimination.

Bioaccumulative potential

Bioaccumulation potential

No data available.

Mobility in soil

Assessment transport between environmental compartments

No data available.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.



Revision date : 2020/08/24 Page: 11/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

14. Transport Information

Land transport

TDG

Hazard class: 2.1 UN 1950 ID number: Hazard label: 2.1

Proper shipping name: **AEROSOLS**

Sea transport

IMDG

Hazard class: 2.1 ID number: UN 1950 Hazard label: 2.1 Marine pollutant: NO

Proper shipping name: **AEROSOLS**

Air transport

IATA/ICAO

Hazard class: 2.1 ID number: UN 1950 Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released / listed



Revision date : 2020/08/24 Page: 12/12 Version: 2.0 (30687364/SDS_GEN_CA/EN)

NFPA Hazard codes:

Health: 1 Fire: 4 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

Chemetall (now part of BASF Group) NA Product Regulations

SDS Prepared on: 2020/08/24

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET