



Revision date : 2020/08/28 Version: 2.0

Page: 1/14 (30687372/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Ardrox 906 Aerosol NA

Recommended use of the chemical and restriction on use

Recommended use*: Nondestructive Testing Unsuitable for use: Uses other than recommended

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company: Chemetall Canada Limited. 1 Kenview Blvd, Unit 110 Brampton, ON L6T 5E6 CANADA +1 905 791-1628 sds.na-chemetall@basf.com

Emergency telephone number

24 Hour Emergency Response Information Telephone: 800-424-9300, +1-703-527-3887

Other means of identification

Substance number:	864510
Chemical family:	organic





Revision date : 2020/08/28 Version: 2.0 Page: 2/14 (30687372/SDS_GEN_CA/EN)

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Flam. Aerosol	1	Flammable aerosols
Skin Sens.	1	Skin sensitization
Carc.	2	Carcinogenicity

Label elements





Signal Word: Danger

Hazard Statement:	
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
H222	Extremely flammable aerosol.
H351	Suspected of causing cancer.
H229	Pressurized container: May burst if heated.

Precautionary Statements (Prevention):





Revision date : 2020/08/28 Version: 2.0

Page: 3/14 (30687372/SDS_GEN_CA/EN)

P251	Do not pierce or burn, even after use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P264	Wash contaminated body parts thoroughly after handling.
P281	Use personal protective equipment as required.
P211	Do not spray on an open flame or other ignition source.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P201	Obtain special instructions before use.
Precautionary Stateme	nts (Response):
P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P363	Wash contaminated clothing before reuse.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P321	Specific treatment (see on this label).
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P308 + P313	IF exposed or concerned: Get medical attention.
Precautionary Stateme	nts (Storage):
P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.
Precautionary Stateme	nts (Disposal):
P501	Dispose of contents and container to hazardous or special waste collection point.

Hazards not otherwise classified





Revision date : 2020/08/28 Version: 2.0

Page: 4/14 (30687372/SDS_GEN_CA/EN)

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

propane

CAS Number: 74-98-6 Content (W/W): >= 15.0 - < 20.0% Synonym: Propan

Distillates (petroleum), solvent-refined light paraffinic CAS Number: 64742-47-8 Content (W/W): >= 15.0 - < 20.0% Synonym: Kerosene sans odeur

Nonylphenol polyglycol ether CAS Number: 9016-45-9 Content (W/W): >= 5.0 - < 7.0% Synonym: R36/38-51/53; H315-319-411; No-Longer Polymers (NLP)

Propane, 2-methyl-CAS Number: 75-28-5 Content (W/W): >= 7.0 - < 10.0% Synonym: Isobutane

1H-Imidazole-1-ethanol, 2-(heptadecenyl)-4,5-dihydro-CAS Number: 27136-73-8 Content (W/W): >= 0.1 - < 0.2% Synonym: No data available.

Ethoxylated Secondary Alcohols (C11 - 15) CAS Number: 68131-40-8 Content (W/W): >= 10.0 - < 15.0% Synonym: No data available.

Alcohols, C12-14-secondary, ethoxylated





Revision date : 2020/08/28 Version: 2.0

Page: 5/14 (30687372/SDS_GEN_CA/EN)

CAS Number: 84133-50-6 Content (W/W): >= 15.0 - < 20.0% Synonym: No data available.

C.I.Solvent Yellow 14 1-phenylazo-2-naphthol CAS Number: 842-07-9 Content (W/W): >= 0.3 - < 1.0% Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. Remove affected person from danger area. Immediately remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

If on skin:

Wash affected areas thoroughly with soap and water. If symptoms persist, seek medical advice.

If in eyes:

Rinse immediately with plenty of water, also under the eyelids, for at least 30 minutes. Seek medical attention. Remove contact lenses, if present.

If swallowed:

Rinse mouth immediately with water. Do not induce vomiting. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.





Revision date : 2020/08/28 Version: 2.0

Page: 6/14 (30687372/SDS_GEN_CA/EN)

Information on: propane Symptoms: Overexposure may cause:, unconsciousness, asphyxia, respiratory disorders, headache, dizziness

Information on: 1H-Imidazole-1-ethanol, 2-(heptadecenyl)-4,5-dihydro-Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Information on: Distillates (petroleum), solvent-refined light paraffinic Symptoms: Overexposure may cause:, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps, Ingestion may provoke the following symptoms:, asphyxia, dyspnea, choking, respiratory arrest, circulatory collapse, death

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: carbon dioxide, dry powder, alcohol-resistant foam, water spray

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon oxides





Revision date : 2020/08/28 Version: 2.0

Page: 7/14 (30687372/SDS_GEN_CA/EN)

Advice for fire-fighters Protective equipment for fire-fighting: Appropriate breathing apparatus may be required.

Further information: In case of combustion evolution of toxic gases/vapours possible.

Cool endangered containers with water-spray. Risk of bursting.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Use personal protective clothing.

Information regarding personal protective measures, see section 8.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for diposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents.

7. Handling and Storage

Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). In closed rooms provide exhaust ventilation at floor level. The workplace should be equipped with an emergency shower and eye-rinsing facility. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:





Revision date : 2020/08/28 Version: 2.0

Page: 8/14 (30687372/SDS_GEN_CA/EN)

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixture with air. The relevant fire protection measures should be noted.

Electrical handling equipment should be explosion-proof. Use explosion-proof equipment.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Suitable materials for containers: Paper/Fibreboard, Carbon steel (Iron), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep container dry. Keep container tightly closed in a cool, well-ventilated place. The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep away from heat. Avoid direct sunlight.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits		
propane	OSHA PEL	PEL 1,000 ppm 1,800 mg/m3;TWA value 1,000 ppm 1,800 mg/m3;
	ACGIH TLV	
		D: Simple asphyxiant, EX: Explosion hazard
Propane, 2-methyl-	ACGIH TLV	STEL value 1,000 ppm; Explosion hazard.

Advice on system design:

Use only in well-ventilated areas.

Personal protective equipment

Respiratory protection: Wear respiratory protection if ventilation is inadequate.





Revision date : 2020/08/28 Version: 2.0

Page: 9/14 (30687372/SDS_GEN_CA/EN)

Hand protection:

nitrile rubber (Buna N), chloroprene rubber (Neoprene), Chemical resistant protective gloves (EN 374), Further information on penetration time is available from the manufacturer of the glove., The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures:

Do not breathe vapour/spray. Take off immediately all contaminated clothing. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Form:	aerosol
Odour:	odourless
Odour threshold:	No applicable information available.
Colour:	red
pH value:	not applicable
Freezing point:	-18 °C
Melting point:	-18 °C
Boiling range:	not determined
Boiling point:	not determined
Sublimation point:	No applicable information available.
Flash point:	> 93 °C
Flammability:	Extremely flammable.
Lower explosion limit:	not determined
Upper explosion limit:	not available
Autoignition:	not determined
Vapour pressure:	(20 °C)
	not determined





Revision date : 2020/08/28 Version: 2.0 Page: 10/14 (30687372/SDS_GEN_CA/EN)

Density:

	(20 °C)
Relative density:	No applicable information available.
Vapour density:	No applicable information available.
Partitioning coefficient n-	No data available.
octanol/water (log Pow):	
Thermal decomposition:	No applicable information available.
Viscosity, dynamic:	No applicable information available.
Viscosity, kinematic:	(20 °C)
	not determined
Solubility in water:	slightly soluble
Miscibility with water:	immiscible
Solubility (quantitative):	No applicable information available.
Solubility (qualitative):	No applicable information available.
Molar mass:	No applicable information available.
Evaporation rate:	No applicable information available.

0.930 g/cm3

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Vapours may form explosive mixture with air. Risk of bursting.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid direct sunlight. Avoid prolonged exposure to extreme heat.

Incompatible materials

strong oxidizing agents





Revision date : 2020/08/28 Version: 2.0 Page: 11/14 (30687372/SDS_GEN_CA/EN)

Hazardous decomposition products

Decomposition products: Possible decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No applicable information available.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Irritation / corrosion Assessment of irritating effects: Causes serious eye damage. Skin contact causes irritation.

<u>Sensitization</u> Assessment of sensitization: May cause allergic skin reaction.

Chronic Toxicity/Effects

Carcinogenicity Assessment of carcinogenicity: Contains a suspect carcinogen.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity:





Revision date : 2020/08/28 Version: 2.0 Page: 12/14 (30687372/SDS_GEN_CA/EN)

Harmful to aquatic life with long lasting effects. Do not allow to enter drains or waterways. There are no test results available for this product.

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> No data available concerning biodegradation and elimination.

Bioaccumulative potential

Bioaccumulation potential No data available.

Mobility in soil

Assessment transport between environmental compartments No data available.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport TDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS





Revision date : 2020/08/28 Version: 2.0 Page: 13/14 (30687372/SDS_GEN_CA/EN)

Sea transport IMDG		
Hazard class: ID number: Hazard label: Marine pollutant: Proper shipping name:	2.1 UN 1950 2.1 NO AEROSOLS	
Air transport IATA/ICAO		

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

15. Regulatory Information

Federal Regulations

Registration status:ChemicalDSL, CAreleased; restriction on quantity / not listed

NFPA Hazard codes:

Health: 3 Fire: 4 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

Chemetall (now part of BASF Group) NA Product Regulations SDS Prepared on: 2020/08/28





Revision date : 2020/08/28 Version: 2.0 Page: 14/14 (30687372/SDS_GEN_CA/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE. WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET